Session 4 SummarySmall NEA Mission Design Challenges

Damon Landau (JPL): End-to-End Mission Design — Trajectory Optimization and Realization

Steve Broschart (JPL): *Proximity Operations and Characterization*/Navigation/Control

Carlos Roithmayr (LaRC): Docking, Grappling, Capture, Control, and Alternative Approaches

Dave Folta (GSFC): Maintaining a Safe, Stable and Human Accessible Parking Orbit

John Dankanich (MSFC): Defining Key Technology Requirements

Session chairs: Brent Barbee (GSFC) and Steve Chesley (JPL)

Session 4 Summary

Key points from presentations

Mission Design (Landau)

- Given a suitable target, it appears feasible to rendezvous with and return an entire near- Earth asteroid
 using technology that is or can be available in this decade.
 - 6 years, 8 t of propellant, & 40 kW SEP system can return a 500 t asteroid to Earth/Moon capture orbit

Proximity Ops (Broschart)

- Solar radiation pressure (SRP) would dominate the dynamics during most ARM phases
 - A station-keeping strategy more practical than orbiting
- Operations require a careful balance of OD/maneuver turnover time and execution errors
 - Autonomy can be used to minimize turnover time, which allows for larger maneuver/model errors

• Capture (Roithmayr)

- Capture/despin of principal axis rotators appears feasible
- Hovering at low latitudes appears impractical for fast rotators (suggesting that matching rates with a fast tumbler is also infeasible)

Parking Orbit (Folta)

- Distant Retrograde Orbits provide suitable stability without station-keeping
- Dynamical Systems Theory and associated flight experience should be leveraged
- Human accessibility of DRO is comparable to other alternatives, e.g., Lagrange point orbits

Driving Technology (Dankanich)

- Key technology development needs: Propulsion, Power, ProxOps, Capture Mechanism
- Mission requirements not fully formulated making technological targets poorly defined
- Unclear if these technologies can be "ready" in time for 2018 launch

Session 4 Summary (Continued)

Issues from Q&A Discussion

- Tumbling rotation requires careful study: flexible structure dynamics, shearing inside capture mechanism
- Target mass uncertainty creates challenges/risks
- Boulder vs. Asteroid trade discussed
- Xenon production question will be asked often
- Schedule is aggressive in terms of technology and target set
- Should ARRM get a pass on standard TRL and development oversight applied to other missions?

Questions from the co-chairs

- Quantify value to ARM of
 - Enlarging the pool of suitable targets to afford more flexibility
 - Small robotic precursor to close characterization risks